

RESEARCH CENTRE

Inria Lyon Center

IN PARTNERSHIP WITH:

Ecole normale supérieure de Lyon,
Université Claude Bernard (Lyon 1),
Université de Grenoble Alpes

2022

ACTIVITY REPORT

Project-Team

QINFO

**Optimal Information Processing with
Quantum Devices**

DOMAIN

Algorithmics, Programming, Software
and Architecture

THEME

Algorithmics, Computer Algebra and
Cryptology

Inria

Contents

Project-Team QINFO	1
1 Team members, visitors, external collaborators	2
2 Overall objectives	2
3 Research program	3
3.1 Axis 1: Characterization, certification and applications of noisy quantum devices	3
3.1.1 Efficient methods for testing and characterizing quantum systems	3
3.1.2 Limitations on the computational power of noisy quantum devices	4
3.1.3 Efficient optimization using noisy quantum computers	4
3.1.4 Certification of quantum devices	6
3.2 Axis 2: Error correction methods for quantum information processing	6
3.2.1 Optimal error correction tailored to noise model	6
3.2.2 Error correction and fault-tolerance with LDPC codes	7
3.2.3 New approaches for fault-tolerance	8
3.3 Axis 3: New models and applications from fundamental approaches	9
3.3.1 Quantum control in quantum information processing	10
3.3.2 Multipartite entanglement and its applications	11
4 Application domains	11
5 New results	12
5.1 Characterization, certification and applications of noisy quantum devices	12
5.2 Error correction methods for quantum information processing	13
5.3 New models and applications from fundamental approaches	14
6 Partnerships and cooperations	16
6.1 European initiatives	16
6.1.1 Horizon Europe	16
6.1.2 H2020 projects	17
6.2 National initiatives	17
6.3 Regional initiatives	18
7 Dissemination	19
7.1 Promoting scientific activities	19
7.1.1 Scientific events: organisation	19
7.1.2 Scientific events: selection	19
7.1.3 Journal	19
7.1.4 Invited talks	19
7.1.5 Leadership within the scientific community	20
7.1.6 Scientific expertise	20
7.2 Teaching - Supervision - Juries	20
7.2.1 Teaching	20
7.2.2 Supervision	20
7.2.3 Juries	21
7.3 Popularization	21
7.3.1 Articles and contents	21
8 Scientific production	21
8.1 Publications of the year	21
8.2 Cited publications	23

Project-Team QINFO

Creation of the Project-Team: 2022 September 01

Keywords

Computer sciences and digital sciences

- A4.2. – Correcting codes
- A4.3.4. – Quantum Cryptography
- A7.1.4. – Quantum algorithms
- A7.3.1. – Computational models and calculability
- A8.6. – Information theory

Other research topics and application domains

- B5.11. – Quantum systems

1 Team members, visitors, external collaborators

Research Scientists

- Omar Fawzi [Team leader, Inria, Senior Researcher, HDR]
- Alastair Abbott [Inria, Researcher, in Grenoble]
- Cyril Elouard [Inria, Starting Research Position]
- Mizanur Rahaman [Inria, Starting Research Position]
- Daniel Stilck Franca [Inria, ISFP, from Apr 2022]
- Mischa Woods [Inria, Researcher, from Dec 2022, in Grenoble]

Faculty Member

- Guillaume Aubrun [UNIV LYON I, Associate Professor, from Sep 2022, HDR]

Post-Doctoral Fellow

- Ala Shayeghi [Inria, until Sep 2022]

PhD Students

- Emily Beatty [Inria, from Sep 2022]
- Paul Ferme [Inria]
- Raphael Mothe [CNRS, in Grenoble]
- Aadil Oufkir [ENS DE LYON]
- Pierre Pocreau [UGA, from Oct 2022, in Grenoble]

Administrative Assistants

- Solene Audoux [Inria]
- Maria Immaculada Presseguer [Inria, Grenoble]

External Collaborators

- Cyril Branciard [CNRS, Néel]
- Benjamin Huard [ENS Lyon, HDR]
- Cécilia Lancien [CNRS]
- Mehdi Mhalla [CNRS, LIG]

2 Overall objectives

Information-processing devices that can take advantage of the laws of quantum theory have an important potential in terms of computation, communication and secrecy. However, the quantum devices available today are all affected by unwanted noise: the actual behavior of the device only matches approximately with the model they were designed for. Such an unwanted deviation from the model can have devastating effects for the information processing applications: for example, in the context of quantum computation, the accumulation of noise can render the outcome of the computation completely useless. This project aims to develop methods and algorithms to optimally reduce the undesirable effect caused by noise on quantum information processing tasks.

3 Research program

Our overarching objective is to develop mathematical techniques and algorithms to make full use of the potential of quantum technologies. Our research is decomposed into three research directions. The first axis aims to develop methods to characterize and certify the relevant quantum properties of currently available quantum information processing devices, including so-called noisy intermediate scale quantum (NISQ) devices, as well as explore their applications. The second axis is motivated by applications on a longer time scale and its objective is to develop general methods to correct the errors that occur in quantum devices and reduce/eliminate their effect on the computations. The third axis considers new quantum models and resources that promise to help in finding new applications of quantum technologies.

3.1 Axis 1: Characterization, certification and applications of noisy quantum devices

The last years have seen a dramatic increase in both the size and quality of quantum computing architectures. They have now reached a point where they are very hard to simulate even with the best classical computers available. Nevertheless, significant challenges have to be overcome to scale current technologies and use them to solve practically relevant problems. The first challenge is in obtaining accurate mathematical models of such quantum devices, including their inevitable imperfections. The second challenge is in understanding the information processing abilities of such models. The objective of this research axis is to tackle these two challenges by designing efficient methods for the characterization and certification of quantum devices, exploring the limitations imposed by noise on the computational power and studying the applications of current quantum devices to optimization algorithms and to device-independent cryptography.

3.1.1 Efficient methods for testing and characterizing quantum systems

Obtaining an accurate mathematical characterization of the quantum systems that are prepared in the lab is a pressing question for quantum technologies. For this reason, there has been very important progress on such statistical questions in the last few years. This includes the answer to foundational questions such as the number of samples needed to characterize an unknown quantum state, improved methods for characterizing quantum devices, and very recently techniques that can very efficiently predict multiple relevant properties of quantum systems. We plan to contribute to these lines of work by considering several questions all going in the direction of better characterization of quantum systems.

First, we will consider **basic statistical questions related to testing relevant properties** of quantum states. In particular, given a description of an ideal target state $|\psi\rangle$, how to efficiently test whether the state prepared by the device complies with $|\psi\rangle$? Another question is how to test whether the state prepared by the device is entangled or not? These are fundamental questions and for some of them the best known algorithm is to learn the whole state by performing a complete quantum tomography. We believe that this is far from optimal and that a better understanding of the geometry of quantum states can be turned into a significantly more efficient testing algorithm. Techniques from high-dimensional convex geometry [32] are likely to play an important role.

Building on that, we will then develop tools to characterize the noise affecting quantum devices. As the number of parameters and samples required to characterize an arbitrary noisy process grows exponentially in the number of qubits [65], it is of paramount importance to devise protocols to find an effective ansatz for the underlying structure. The first step we will take in this direction will be to devise scalable protocols that are able to **identify the correlation structure of the noise**. By singling out on which parts of the device the noise acts independently and on which the noise is correlated it is possible to substantially reduce the number of parameters that are required to effectively describe it, bringing it to a tractable number. Although finding the conditional independence structure of a set of random variables to a high precision is a difficult problem even classically, we will generalize to the quantum setting efficient classical techniques that employ convex relaxations [47] to obtain good approximate solutions.

The next step will then be to devise protocols inspired from machine learning techniques that can exploit the knowledge of the underlying correlation structure to efficiently learn its parameters. This will be combined with randomized benchmarking techniques [56, 61, 57]. Randomized benchmarking techniques are known to be robust and experimentally friendly, however current results either give very limited information or require stringent assumptions on the structure of the underlying noise. Thus, the goal of this part will be to overcome these two limitations, providing experimentalists with much needed tools to efficiently characterize large noisy quantum devices.

Such a line of research certainly also profits from inputs from experimentalists to **test the algorithms on real quantum hardware**. Thus, we plan to work with the local experimental group led by Benjamin Huard to test such methods on the devices they build. Moreover, it is invaluable to obtain input from experimentalists regarding what are the limitations and challenges they face in the lab when characterizing their devices.

An important aspect in this direction that we will consider is the design of measurements that can probe the physical property of interest without disturbing the state by much. This is the so-called **quantum non-demolition measurement** (QND) and is important when one has a continuous signal which one wants to measure, since one has to measure the same system repeatedly over time and, ideally, one wants the outcomes of later measurements to depend solely on the quantity one intends to measure, and not on any disturbances caused by prior measurements. QNDs have found usages in many areas, including quantum computing and, most prominently, proposals for gravitational wave detectors with improved sensitivity. We view the problem through the lens of quantum information theory, and in this way, it can be seen that the quantum system involved in the QND, is a quantum reference frame. What's more, there is a one-to-one relation between the reference frame imperfections, and its ability to act as a system for QND measurements. In [36, 82], we gave a construction of a QND where the error is a function of energy and dimension. Going forward, our objective is to determine whether this construction is optimal, determine the optimal tradeoff between error and energy and dimension and assess the extent to which such constructions can lead to an advantage for **quantum sensing**.

3.1.2 Limitations on the computational power of noisy quantum devices

In order to establish a quantum advantage for noisy quantum computers, it is important to study when **noisy quantum computers can be simulated classically**. Intuitively, it is clear that the noise present in a quantum device imposes a limit on the circuit depth we can implement before the device loses its usefulness when compared to classical devices. In order to understand the potential of noisy quantum devices, it is crucial to develop tools to characterize when this happens given a problem and noise model. In the context of optimization, such bounds were achieved by our work [55]. In short, the results of [55] show that sampling from the output of noisy quantum devices quickly becomes comparable to sampling from Gibbs states that are easy to simulate classically by giving stringent explicit bounds. This is showcased Figure 1, where we plot at which density of corrupted qubits the noisy quantum device loses advantage against classical methods. However, in their current version, our methods only allow for an analysis of the first moments. To extend the analysis and conclusions beyond optimization to other fields like quantum machine learning, it is imperative to obtain results for higher moments and concentration inequalities for the outputs of noisy quantum circuits. That is, to quantify how much noise a quantum system can tolerate before it behaves like a state that can be easily sampled from classically. To achieve this goal, we intend to resort to and further develop methods from the emerging field of quantum optimal transport [70, 48]. Optimal transport techniques are by now a well-established method to show powerful concentration inequalities [75]. They are known to combine well with other areas of expertise of the group, such as entropic and semigroup methods.

3.1.3 Efficient optimization using noisy quantum computers

Identifying good use cases for the noisy quantum devices expected to be available in the near future is one of the main current challenges faced by the quantum computing community. One possible candidate for such an application are quantum Gibbs state-sampling based methods. Quantum Gibbs states are at the core of powerful classical and quantum algorithms for optimization and machine learning based on mirror descent or the matrix multiplicative weight method [41, 37, 38]. These iterative algorithms can




Figure 1: Estimate as to when a noisy quantum device loses advantage compared to established efficient classical methods in terms of the density of uncorrupted qubits for one instance of the GSET (a set of instances of hard combinatorial optimization problems that are used to benchmark solvers). We see that even when only a fraction of the qubits have been corrupted (roughly one in 4), the noisy quantum computer is already expected to lose advantage against heuristic methods.

be understood as a variation of simulated annealing, in which one starts with a (quantum) Gibbs state at infinite temperature and decreases the temperature to converge to the solution of an optimization problem. That is, we begin with a state that is supported everywhere on the state space and slowly zoom into regions that contain solutions to the problem of interest by tuning the Gibbs state. This intuitive picture conveys one feature of such methods: they are robust, especially at the first iterations, as we only need to ensure that we are zooming in the right direction. This robustness translates into them only requiring the preparation of states with relatively small precision to make progress.

On the other hand, this picture also showcases the issue noise imposes for such methods: after a while, the noise will make it impossible to zoom in further, imposing fundamental barriers onto how well we can characterize the region of solutions. Thus, it is expected that noisy quantum computers can offer useful advice as to which direction to go up to a level that naturally depends on the noise present in the device. Thus, we will design hybrid quantum-classical algorithms that explicitly take into account this limitation. They will only use the quantum computer to identify a region of a relatively small dimension that contains the solution.

At this stage, it is then possible to use powerful randomized linear algebra techniques to take advantage of the initial zooming in performed by the noisy quantum device. Techniques from randomized linear algebra offer significant speedups for basic operations under the promise that the involved matrices are supported on a small dimensional space [80]. Thus, after doing the first iterations efficiently on the noisy quantum device and identifying a low-dimensional space that contains the solutions, a classical device takes over with this input and runs the later iterations much faster. Such a hybrid algorithm would lead to more efficient solvers for convex optimization problems. Although such problems can usually be solved in polynomial time, in practice it is still challenging to solve larger dimensional instances, impeding their more widespread use. **Such a hybrid algorithm will increase the practicality of solving large-dimensional semidefinite programs, as the classical computer would only have to operate in the low-dimensional regime.** It would also lead to provable speedups for quantum devices under noise, a goal that has so far remained elusive.

The main technical challenges that need to be overcome for the success of such an algorithm are threefold: first, carrying out a detailed analysis of the trade-offs as to when it becomes more efficient to transition from performing the optimization on the noisy quantum device to the classical computer. Second, the development of improved quantum Gibbs sampler for noisy devices to prepare the required states. Third, the identification of practically relevant problems that offer a good opportunity window for quantum speedups. The first and third challenges will profit from and are connected to the result of the previously discussed Goals 3.1.1 and 3.1.2. The second, the development of better quantum

Gibbs samplers, as current proposals for Gibbs samplers require quantum circuits that are unlikely to be implementable in the near term, will certainly yield results that find applications in many other directions. Indeed, efficient classical Gibbs samplers are the bread the butter of most Monte Carlo techniques, and it is to be expected that quantum Gibbs samplers will find similar widespread application.

3.1.4 Certification of quantum devices

In the **device-independent framework** of quantum cryptography, protocols offer security by relying on minimal assumptions. Namely, they are secure even when the devices used within the protocol are completely untrusted or uncharacterized. The main idea behind many device-independent protocols, such as randomness expansion and quantum key distribution, is that there are certain correlations between multiple separate systems that (i) could only have been produced by entangled quantum systems and (ii) are intrinsically random. The fundamental question underlying the analysis of such protocols is how to certify entanglement or randomness from the observed measurement statistics of the untrusted device?

This question of certification is recurrent when assessing the behaviour of quantum devices (and particularly of noisy ones), as highlighted by the issues that Goals 3.1.1 and 3.1.2 address. We plan to develop techniques to address the certification of quantum systems with minimal assumptions. Our objective is to first build mathematical tools in the continuity of the Entropy Accumulation Theorem [50] that allow us to make accurate statistical statements about large quantum systems. The second objective is to design computational methods [40] to certify in a quantitative way the relevant quantum properties that are consistent with the observed statistics.

For the context of device-independent cryptography, this will allow us to obtain protocols with improved noise tolerance and finite-length analysis to reach the realm of what can be done with current quantum technologies. But we believe these techniques will be applicable in the wider setting of **certifying properties of quantum networks and quantum computing devices**.

3.2 Axis 2: Error correction methods for quantum information processing

Noisy quantum devices are unlikely to reach the full potential of quantum computation unless some software mechanisms for correcting the errors are used. The aim of this research axis is to develop general methods to use physical quantum devices to perform logical quantum operations that are reliable even if the physical devices themselves are imperfect.

For this, we plan to build algorithmic methods to find error correction mechanisms that are tailored to a given noise model, and explore various approaches to fault-tolerant quantum computation going from Low-Density Parity-Check quantum codes to more recent methods using quantum reference frames.

3.2.1 Optimal error correction tailored to noise model

Shannon's 1948 seminal theorem [72] modeled the problem of communication (or storage) over a given noisy channel and determined precisely its ultimate limit. Shannon's noisy coding theorem relates the maximum rate at which information can be transmitted reliably over a noisy channel $\mathcal{W}_{X \rightarrow Y}$ to a simple entropic expression $I(X : Y)$ measuring the correlations between the input and output of the channel. More precisely, it states that as $n \rightarrow \infty$, the maximum number of bits that can be sent using n independent copies of $\mathcal{W}_{X \rightarrow Y}$ is asymptotically given by

$$\lim_{n \rightarrow \infty} \frac{\text{Maximum number of bits communicated using } \mathcal{W}_{X \rightarrow Y}^{\otimes n}}{n} = \max_{P_X} I(X : Y), \quad (1)$$

where the right hand side is a maximization over distributions P_X over the input of the channel and $I(X : Y)$ is a correlation measure, the exact definition of which we will omit in this document. Setting the fundamental limits for reliable communication, Shannon's theorem was instrumental in the discovery of good error correcting codes which are used in virtually every device or communication link today. One of the goals of the field of information theory is to characterize the optimal communication rates in the form (1) for various information processing tasks.

Devices that make use of the laws of quantum theory are also affected by noise, in fact even more so. Determining the optimal method in order to communicate (or store information) reliably over a noisy quantum channel is thus of fundamental importance in order to exploit the full potential of a quantum computer, or more generally a quantum device. However, despite the problem's importance and more than 40 years of efforts in quantum information theory [63, 79], it is fair to say that we do not have a quantum analogue of Shannon's theorem Eq. (1). Indeed, a formula analogous to Eq. (1) for quantum channels is known only in very special cases. As an illustration, even for the simplest possible quantum channel, called the qubit depolarizing channel, the asymptotic maximum rate of quantum communication is still unknown [49]. The qubit depolarizing channel can be thought of as the quantum analogue of the channel that flips the input bit with some probability f .

The main difficulty in understanding the ability of a quantum channel in transmitting information is the *non-additivity* of the quantum entropic quantities having the form of the right hand side of Eq. (1) [49, 64, 62, 73]. This challenge is due in many cases to the quantum property of entanglement and we believe that a new approach is needed to overcome this difficulty.

Faced with these difficulties, we propose a new framework for studying communication over noisy channels. Instead of trying to determine the optimal rate of communication *asymptotically* as the number of channel uses $n \rightarrow \infty$ (as in the left hand side of Eq. (1)), we assume we have a description of a finite channel $\mathcal{W}_{\hat{X} \rightarrow \hat{Y}}$ (a particular case of which is $\mathcal{W}_{\hat{X} \rightarrow \hat{Y}} = \mathcal{W}_{X \rightarrow Y}^{\otimes n}$ for some finite n , but it could be much more general). Our objective is then to design an *efficient algorithm* that determines the maximum number of bits or qubits that can be sent reliably using $\mathcal{W}_{\hat{X} \rightarrow \hat{Y}}$.

For the problem of classical communication over a classical channel, we have characterized this computational complexity precisely in our previous work [35] and this led to interesting connections between information theory and combinatorial optimization. The main objective here is to extend this approach to quantum channels, thereby designing algorithms that can find **the best error correction schemes for a given noise model**. These algorithms can naturally then be used on the noise models that are estimated using the methods developed in Axis 3.1.1. In particular, we will focus on relevant noise models that appear in current devices. For this we plan to collaborate with Benjamin Huard in the physics lab of ENS Lyon, and the presence of Cyril Élouard in the team significantly helps in this regard. To start in this direction, Cyril has given talks within the group to explain the mathematics of superconducting qubits and we are at the moment discussing specific dissipative models that can be reasonably implemented in hardware and for such different models compare their ability to store quantum information reliably.

3.2.2 Error correction and fault-tolerance with LDPC codes

Having a coding strategy for a given noise model with good performance is not enough: for a strategy to be applicable, it is important to be able to implement the error correction operations efficiently. An efficient decoding algorithm is not only important to establish fast and reliable communication networks but it is also crucial for fault-tolerant computing. In fact, the basic idea of fault-tolerant computing schemes is to perform computations on data encoded in an error correcting code. To prevent the errors that occurred during the computation from spreading, a decoding operation has to be regularly applied to correct these errors. For this reason, it is crucial for the decoding operation to be very fast to prevent the accumulation of errors. We focus here on an important class of quantum error correcting codes called Low-Density Parity-Check (LDPC) codes [42, 74] defined by two *sparse* binary parity-check matrices H_X and H_Z satisfying $H_X H_Z^T = 0$. Our first objective is to design **efficient decoding algorithms for quantum LDPC codes**.

Quantum LDPC codes are particularly well suited to achieve *fault-tolerant* quantum computation. This is because the sparsity of the parity check matrices allows us to bound the error rate of the syndrome measurements. In fact, currently the leading candidate error correcting code to be used in future quantum computers is the surface code, a special kind of LDPC code. Even though the surface code can be embedded on a surface with only nearest neighbour interactions, it suffers from a very poor encoding rate, and thus using it for fault-tolerant constructions incurs a very large memory overhead. Our previous work [54] shows that in principle the memory overhead can be significantly reduced by using constant-rate LDPC codes based on expander graphs. The general idea of using constant-rate codes is illustrated in Figure 2. Our objective is to make **fault-tolerant constructions with LDPC codes practical** by finding fault-tolerant gadgets for such codes and using decoding algorithms with better performance.




Figure 2: When using the surface code for fault-tolerance, each qubit of the original circuit is encoded in a separate block, leading to a large memory overhead. When using constant-rate codes, all the qubits of the original circuit are encoded in the same block which leads to important savings in terms of overhead.

3.2.3 New approaches for fault-tolerance

As mentioned before, the currently leading approach for fault-tolerance is using surface codes. In contrast to the previous goal 3.2.2, our objective here is to explore radically different approaches to fault-tolerance that could provide new avenues towards achieving fault-tolerance. In particular, we will look at one based on quantum polar codes and the other one based on quantum reference frames.

The class of **quantum polar codes** that has recently been proposed in [51] can be promising candidates for fault-tolerant quantum computing. The construction relies on a channel combining and splitting procedure, where a two-qubit gate randomly chosen from the Clifford group is used to combine two single-qubit channels. Applied recursively, this procedure allows synthesizing a set of so-called virtual channels from several instances of the quantum channel. When the code length goes to infinity, the virtual channels polarize, in the sense that they tend to become either noiseless or completely noisy. Interestingly, polar codes feature several extremely desirable properties: they protect a high number of logical qubits, and they have efficient decoding algorithms. In addition, logical Clifford operations can be easily performed by using code deformation like techniques. However, there are a number of challenging issues to be addressed in the fault-tolerant computing context. First, quantum channel polarization needs to be investigated by taking into account the fact that Clifford gates used for channel-combining are faulty. Second, we need to construct a universal set of fault-tolerant gates, which can be tackled by using magic state distillation. For this approach, we plan to collaborate closely with Mehdi Mhalla (CNRS, LIG).

The second approach we consider here is based on a way of **circumventing the famous Eastin-Knill theorem**. In the early days of quantum computing, one of the key ideas for building a quantum computer whose errors can be corrected, was the notion of transversal logic gates. The idea was to devise a scheme in which all the gates needed for universal quantum computation could be applied on non-overlapping subspaces in such a way that all the locally occurring errors were correctable. More specifically, the objective is to find an encoding \mathcal{E} mapping the logical space to the physical space such that for any unitary \mathcal{V} acting on the logical space, there exist unitaries $\mathcal{V}_1, \dots, \mathcal{V}_n$ acting on the physical space such that

$$\mathcal{E} \circ \mathcal{V} = \mathcal{V}_1 \otimes \dots \otimes \mathcal{V}_n \circ \mathcal{E}.$$

This scheme would allow for errors in the implementation of the gates to be corrected before they have propagated through the computation and rendered its results useless. Unfortunately, transversality of all the gates needed for universal computation and local correctability within the blocks cannot both be simultaneously satisfied for finite dimensional codes. This was proven by Eastin and Knill in a landmark paper in 2009 [52]. Subsequently, workarounds have been found. For example, one of the current frontrunner approaches is to apply all but one of the gates needed for universal computation transversally, while the remaining gate is applied in a non-transversal way using other costly techniques.

We have developed in a series of two papers [81, 83], a new method for quantum error correction which is not based on this approach. In this technique, all of the gates in the set needed for universal computation are treated on an equal footing. More precisely, rather than circumventing the Eastin-Knill theorem by having one non-transversal gate, all gates from the universal set can be applied transversally, and local errors corrected, but at the price of an error in the decoding. As long as the error in the decoding is kept small, it will not disrupt the computation and is thus not significant from a practical point of view. To do so, it uses quantum reference frames and randomness to encode the information about which gate was applied during the computation. As the quality of the reference frame increases, the error in the decoding approaches zero. The concept of a quantum reference frame was introduced in the field of quantum foundations in the context of sharing so-called “unspeakable information”, such as the relative orientation of two distant observers. While it has been used over the years in various problems in quantum information theory, its use in quantum error correction has yet to be fully explored.

While this work on the circumvention of the Eastin-Knill theorem has attracted a lot of attention and follow up work by other research groups (see e.g. Refs. [67, 84, 76] and [66]), it is not yet ready for primetime. The reason for this, it that while the encoded states are readily fault tolerant (due to the transversality of its gates), the current protocol for applying the encoding and decoding channels are not fault tolerant. This is down to the method in which the quantum reference frames are constructed. However, we believe that finding protocols for implementing the encoder and decoder in a fault tolerant way is a surmountable challenge. We plan to use a recent construction of unitary t -designs that use a constant number of non-Clifford gates. Implementing the Clifford gates in the circuit can be done in a transversal way and for the non-Clifford gates, a constant number of magic states can be used. This is analogous in some ways to the entanglement needed to perform magic state distillation [39], which is the building block of one of the leading proposals for fault tolerant quantum computation. However, there are many potential benefits to the proposed use of the initial entanglement resource over that of the magic state distillation approach — it is these benefits, which are the key to why this approach could become the chosen method to implement error correction. This includes the fact that the amount of entanglement needed is independent of the computation as well as the high adaptability of this method.

3.3 Axis 3: New models and applications from fundamental approaches

The predominant model of quantum computation is that of quantum circuits, and the previous two axes stay within this standard framework in their goals centered around designing and building quantum devices. In contrast to classical computation, however, in the quickly-evolving landscape of quantum information there remains significant insight to be gained by studying alternative models of computation. They may, for example, be more tolerant to realistic types of noise, provide new insight into algorithms and applications, or be better able to exploit certain quantum resources. As concrete examples, both adiabatic and measurement-based quantum computing have been extensively studied, leading to a number of important insights that have been fed back more generally into quantum information research.

By considering a higher level of abstraction, this axis explores novel models of quantum information processing in order to identify new avenues for exploiting quantum effects and outperforming classical devices, even in the presence of noise. One of the primary avenues for this is the study of higher-order quantum operations, allowing an abstract understanding of what quantum transformations are possible in principle, and the use of new resources such as quantumly-controlled operations to implement such computations.

This axis thus explores more fundamental aspects of quantum information processing, as we believe these to be highly valuable in providing new insight in quantum computing and communication. We aim to use the new models and approaches we will study to provide new techniques to mitigate noise in quantum devices, certify their behaviour more efficiently, and develop algorithms or protocols providing better quantum advantages in applications of interest. It will thus provide important insight for the previous two axes, and at the same time will make use of mathematical tools and approaches common to the themes of the project.

3.3.1 Quantum control in quantum information processing

One of the intrinsic limitations of the standard quantum circuit model is that the structure of the circuit, and hence of the flow of information, is fixed prior to computation; quantum circuits do not allow for the possibility of a “quantum if-statement”. In this research goal we study new models to quantum computation that, in contrast, have explicit *quantum control structures*. These models, in particular, have the potential to provide new approaches to mitigate noise can lead to stronger quantum advantages in certain applications.

To study quantum control structures we work within the framework of higher-order quantum operations [43, 69], which formalise the types of ways quantum circuits or channels can themselves be transformed within quantum theory. This approach has developed rapidly in recent years [77] since it was first used to show that one can indeed formulate quantum computations in which the *order* of two quantum gates is superposed with the help of a quantum control system, a gadget known as the *quantum switch* [44] (see Fig. 3).




Figure 3: By allowing the structure of a circuit to be controlled by a quantum system, one can perform certain computations more efficiently. Such “quantum control structures” can be formally studied as higher-order quantum operations, leading to a generalisation of quantum circuits.

The quantum switch and related computations have since been shown to provide new types of quantum advantages in several information-theoretical tasks [46, 31, 60], where they outperform even “standard” quantum circuits. Moreover, its relevance for improving noise tolerance has recently come to light in a number of works showing how quantum control can be used to improve communication over noisy quantum channels [53, 45],[30].

This progress emphasises the potential benefits in studying such models of quantum information processing, and motivates a more systematic study of quantum control models in this context. In a first step in this direction we recently formalised a computational model strictly generalising quantum circuits, called *quantum circuits with quantum control of causal order* (QC-QC) that incorporate – and generalise – quantum control structures [78]. This model will serve as the base for a **systematic study of the computational power of quantum computations exploiting quantum control**, allowing us to understand the types of advantages this new resource of quantum control can provide.

With a better understanding of quantum computations with quantumly controlled operations, we will aim to develop algorithms for several problems where quantum control appears to be a promising problem. Of particular interest, we will look to use it to provide **new algorithms for quantum metrology and parameter estimation** – both key problems that are seen as near-to-mid-term applications for quantum information – that are more efficient than existing approaches and, in particular, are more robust in the noisy versions of these problems. An important first step we are undertaking in this direction is to generalise existing advantages obtainable with quantum circuits with quantum control of causal order from problems in a noiseless regime – where the controlled operations are unitary – to a noisy regime, where the controlled operations are noisy quantum channels.

In order to obtain such results, the mathematical tools being studied and developed in the other research axes of the proposed team, most notably convex optimisation, will be of utmost importance (e.g., Goals 3.1.3, 3.1.4 and 3.2.1). These research goals also build on existing collaborations on quantum control of causal order with physicists at the Institut Néel in Grenoble (including on the development of QC-QCs [78]), in order to transfer physical insight on quantum control towards new application for

information processing. We likewise plan to collaborate with the CAPP team at LIG to study diagrammatic calculi to understand how these new types of computations can be composed and compiled, building on existing collaborations with Mehdi Mhalla on quantum control [30].

The quantum control of quantum operations has potential as a resource throughout quantum information processing: not just for quantum computation but, e.g., also for quantum communication [60]. As an example, it can be used to send messages through a quantum network in a superposition of different paths, amounting to a novel extension of quantum Shannon theory [45]. By doing so, it has recently been shown in a simple, proof-of-principle setting, that one can notably **reduce the effect of noise on the message as it traverses a network** [53] [30] and the effect experimentally verified [71]. We will study this possibility further, looking at how it can be extended to practical network topologies and aim to show how it can be exploited to improve quantum communication protocols and lead to novel approaches for quantum cryptography.

One can also generalize the model of computation one step further. In causally indefinite models of computations such as QC-QCs the relative order between gates is rendered indefinite through the use of quantum control systems. Nonetheless, the computation itself still proceeds in the presence of a fixed, causal clock or external control. We will seek to go one step further in the quantum-classical divide and allow for this external control to also be quantum and autonomous. This would require the addition of another quantum system implementing the quantum gates themselves. In the case of a fixed causal order, this autonomous device needs its own internal notion of time, hence it should also be an accurate quantum clock [82]. Since it is quantum, this clock which controls the interactions can be prepared in a superposition of different time states, leading to new types of non-casually implemented gates and potentially novel applications.

3.3.2 Multipartite entanglement and its applications

Multipartite entanglement plays an important role in quantum protocols and in quantum games, and is likewise a key resource for measurement-based quantum computing. Nonetheless, our understanding of multipartite entanglement as a resource is much less developed than for the simpler, but important, case of bipartite entanglement. The objective of this task is develop our understanding of multipartite entanglement, how it can contribute to reducing the effect of noise in communication, computation and more generally how it can improve coordination in multipartite scenarios.

In particular, we plan consider communication problems over noisy classical networks and quantify the extent to which multipartite nonlocality can improve the transmission rates [68]. Focussing on relevant classical network communication scenarios, we will ask whether entanglement between some of the involved parties significantly improve the rates.

In a related direction, we plan to study game-theoretic settings with players with divergent interests and the advantage that can be achieved by using multipartite entangled states and, in particular, quantum graph states [59]. In collaboration with Mehdi Mhalla, we will aim to use such advantages to provide new approaches to certify multipartite entangled states, and in particular to self-test quantum graph states – important resources in certain quantum computational models – by certifying them solely from the correlations they produce [34, 33]. We plan to use progress towards Goal 3.1.4 to provide a finer analysis of the problem.

4 Application domains

Our work is of theoretical nature but can have an important applications on the development of quantum technologies for the near future as explained in the research directions. This includes in particular:

- The development of algorithms and analysis techniques for benchmarking and certifying properties of quantum technologies
- The development of applications of NISQ devices
- The development of error correction mechanisms that will allow us to reach large scale quantum (LSQ) computing faster

- The development of algorithms automatically certifying the security and/or performance of quantum cryptographic protocols, which could eventually lead to software packages that are widely used in the deployment of such systems.

5 New results

5.1 Characterization, certification and applications of noisy quantum devices

Participants: Alastair Abbott, Guillaume Aubrun, Omar Fawzi, Daniel Stilck Franca, Mischa Woods.

Techniques for learning the parameters of the evolution of a quantum system We developed in [27] new protocols to learn the dynamics governing a quantum system. Our protocols are the first ones to be able to characterize both dissipative and Hamiltonian dynamics efficiently under minimal assumptions. More precisely, our protocols do not require evolutions by short-times and a number of measurements that scales logarithmic in the number of qubits. Furthermore, it only requires a very mild locality from the interactions: it can even characterize interactions that are algebraically decaying in the distance between qubits. Such techniques are essential to characterize quantum devices.

New bounds on the performance of noisy quantum devices: We developed novel results that allow to understand the promise that noisy quantum devices hold before the advent of fault-tolerant quantum devices. In the absence of error correction, these devices can only reliably implement very shallow circuits or comparatively deeper circuits at the expense of a nontrivial density of errors. In [25] we developed concentration inequalities that bound the performance of noisy quantum devices. In the noisy regime with local depolarizing noise p , we prove that depth p^{-1} it is exponentially unlikely that the outcome of a noisy quantum circuit outperforms efficient classical algorithms for combinatorial optimization problems. Similarly, we show that for certain instances constant depth quantum circuits cannot outperform efficient classical algorithms. Our results are based on newly developed quantum entropic and concentration inequalities, which constitute a homogeneous toolkit of theoretical methods from the quantum theory of optimal mass transport whose potential usefulness goes beyond the study of variational quantum algorithms. These results put into question if solving combinatorial optimization problems is a good application for noisy quantum devices.

Furthermore, in [26] we show that accurately estimating the expectation value of an observable of the output of a noiseless circuit given access to copies of a noisy circuit is a fundamentally inefficient task. More precisely, we show that if we go slightly beyond constant depth circuits, namely at depths polylogarithmic in the number of qubits, the number of copies required for this task scales superpolynomially in the worst case. These results rely on constructing quantum circuits that are maximally sensitive to noise. Furthermore, they put into question whether current error mitigation techniques for the use of noisy quantum devices, are a viable path for quantum advantage.

Techniques for certifying security in quantum cryptography We developed in [11] a new tool, called *generalised entropy accumulation*, for computing lower bounds on the min-entropy produced by a sequential process. Concretely, we consider a sequential process in which each step outputs a system A_i and updates a side information register E . We prove that if this process satisfies a natural “non-signalling” condition between past outputs and future side information, the min-entropy of the outputs A_1, \dots, A_n conditioned on the side information E at the end of the process can be bounded from below by a sum of von Neumann entropies associated with the individual steps. This tool generalises our original version introduced in 2016. Due to its more general model of side-information, our generalised entropy accumulation theory can be applied more easily and to a broader range of cryptographic protocols. In particular, it is the first general tool that is applicable to mistrustful device-independent cryptography. To demonstrate this, we give the first security proof for blind randomness expansion against general

adversaries. Furthermore, our generalised EAT can be used to give improved security proofs for quantum key distribution.

In addition, in [15], we introduced a numerical method to compute lower bounds on the rates device-independent (DI) quantum protocols. We derive a sequence of optimization problems that converge to the conditional von Neumann entropy. Applying our method to compute the rates of DI randomness expansion and DI quantum key distribution protocols, we find substantial improvements over all previous numerical techniques, demonstrating significantly higher rates.

In a similar direction, we derived in [19] a new hierarchy of semidefinite programs that can certify a lower bounds on the squashed entanglement.

Quantum cryptography protocols with weakened assumptions

We developed a new protocol for quantum key distribution (QKD) that strikes to seek a balance between standard QKD protocols, in which one assumes full knowledge of how one's devices function, and device-independent QKD, the gold standard in which no assumptions are made, but which is extremely challenging to implement. Our protocol [5], which we call *receiver-device-independent QKD*, assumes only that the sender's device is partially characterised in that the states generated have a bounded overlap (distinguishability), while no assumptions at all are made about the receiver's device. The protocol is secure against standard attacks such as blinding attacks, and can achieve positive key rates in the presence of much more noise (and thus over longer distances) than device-independent QKD. In collaboration with experimentalists at the University of Geneva, a proof-of-principle demonstration was performed and analysed [4], demonstrating positive key rate over 4.8km.

Semi-device-independent certification of causal indefiniteness

To certify quantum devices or resources one must make use over other devices, e.g. to prepare probe states or perform measurements. In many scenarios, it is desirable to certify resources while making use of devices that are noisy, uncharacterised or untrusted. One approach is to use device-independent (DI) methods based on Bell inequality violation, but this is demanding and unable to certify many resources, while semi-DI approaches strive for a middle ground. In the context of causal indefiniteness – a new quantum resource we have been studying – we introduce a new semi-DI approach and show that this can be used to certify all bipartite causally nonseparable resources [3]. Our approach only assumes the ability to prepare certain quantum states accurately, without assuming any characterised measurements or transformations. We make use of a novel assumption on the bipartite nature of these states. This new assumption has potential as a useful semi-DI method in other domains and applications of quantum information.

5.2 Error correction methods for quantum information processing

Participants: Guillaume Aubrun, Omar Fawzi, Mischa Woods.

Quantum correlations to improve communication over networks

In [9], we addressed the problem of coding for classical multiple-access channels (MACs) with the assistance of non-signaling correlations between parties. It is well-known that non-signaling assistance does not change the capacity of classical point-to-point channels. However, it was recently observed that one can construct MACs from two-player non-local games while relating the winning probability of the game to the capacity of the MAC. By considering games for which entanglement (a special kind of non-signaling correlation) increases the winning probability (e.g., the Magic Square game), this shows that for some specific kinds of channels, entanglement between the senders can increase the capacity. Here, we show that the increase in capacity from non-signaling assistance goes beyond such special channels and applies even to a simple deterministic MAC: the binary adder channel. In particular, using non-signaling assistance, the sum-rate $\frac{\log_2(72)}{4} \approx 1.5425$ can be reached even with zero error, which beats the maximum sum-rate capacity of 1.5 in the unassisted case.

A lower bound on the space overhead of fault-tolerant quantum computation

The threshold theorem is a fundamental result in the theory of fault-tolerant quantum computation stating that arbitrarily long quantum computations can be performed with a polylogarithmic overhead provided the noise level is below a constant level. It was recently shown that the space overhead can be asymptotically reduced to a constant independent of the circuit provided we only consider circuits with a length bounded by a polynomial in the width. In [10], using a minimal model for quantum fault tolerance, we establish a general lower bound on the space overhead required to achieve fault tolerance.

More specifically, for any non-unitary qubit channel \mathcal{N} and any quantum fault tolerance schemes against i.i.d. noise modeled by \mathcal{N} , we prove a lower bound of $\max\{Q(\mathcal{N})^{-1}n, \alpha_{\mathcal{N}} \log T\}$ on the number of physical qubits, for circuits of length T and width n . Here, $Q(\mathcal{N})$ denotes the quantum capacity of \mathcal{N} and $\alpha_{\mathcal{N}} > 0$ is a constant only depending on the channel \mathcal{N} . In our model, we allow for qubits to be replaced by fresh ones during the execution of the circuit and we allow classical computation to be free and perfect. This improves upon results that assumed classical computations to be also affected by noise, and that sometimes did not allow for fresh qubits to be added. Along the way, we prove an exponential upper bound on the maximal length of fault-tolerant quantum computation with amplitude damping noise resolving a conjecture by Ben-Or, Gottesman and Hassidim (2013).

A new type of Knill-Laflamme-like error-correction conditions for protection of temporal information

In [18], we introduce and study a fundamental trade-off which relates the amount by which noise reduces the accuracy of a quantum clock to the amount of information about the energy of the clock that leaks to the environment. Specifically, we consider an idealized scenario in which a party Alice prepares an initial pure state of the clock, allows the clock to evolve for a time that is not precisely known, and then transmits the clock through a noisy channel to a party Bob. Meanwhile, the environment (Eve) receives any information about the clock that is lost during transmission. We prove that Bob's loss of quantum Fisher information about the elapsed time is equal to Eve's gain of quantum Fisher information about a complementary energy parameter. We also prove a similar, but more general, trade-off that applies when Bob and Eve wish to estimate the values of parameters associated with two non-commuting observables. We derive the necessary and sufficient conditions for the accuracy of the clock to be unaffected by the noise, which form a subset of the Knill-Laflamme error-correction conditions. A state and its local time evolution direction, if they satisfy these conditions, are said to form a metrological code. We provide a scheme to construct metrological codes in the stabilizer formalism. We show that there are metrological codes that cannot be written as a quantum error-correcting code with similar distance in which the Hamiltonian acts as a logical operator, potentially offering new schemes for constructing states that do not lose any sensitivity upon application of a noisy channel. We discuss applications of the trade-off relation to sensing using a quantum many-body probe subject to erasure or amplitude-damping noise.

5.3 New models and applications from fundamental approaches

Participants: Alastair Abbott, Omar Fawzi, Mischa Woods.

Computational advantages from quantum control of causal order

One of the primary directions we are exploring in this axis is the use of quantum system to control the order in which operations are applied in a computation or a process, creating a form of "causal indefiniteness" between operations. The potential advantages of this use of quantum control are not yet well understood, and we have been exploring several possible applications.

In [22] we analyse the canonical such resource, the so-called quantum switch, from an energetic perspective. We show that a certain task – discriminating between different properties of noisy quantum operations – can be performed more efficiently (in terms of energetic requirements) than using a standard fixed-order protocol. We use this energetic approach to shed light on a recent debate about the status of proof-of-principle implementations of the quantum switch and simulations thereof. Our approach shows that (in the specific physical setting we consider) faithful implementations can be distinguished

from naive "four-box" simulations, and perform better (for a fixed energy budget) than these simulations. This work opens a new path to explore the energetic advantages of causally indefinite protocols.

We have also been exploring other advantages of quantum control of causal order. In a paper in preparation, we show study its use in protocols for quantum metrology. Several recent works have claimed that the quantum switch can provide advantages in the metrological problem of estimating a parameter characterising a noisy quantum channel. However, we show that these works fail to properly compare their results against all possible standard metrological protocols, and that these advantages do not hold up to scrutiny. By developing convex optimisation techniques to compute the relevant metrological quantity, the "quantum Fisher information", we are able to optimise the performance of protocols using quantum control of causal order, and compare it to all protocols that have a fixed causal order. We find that, for certain classes of noisy channels, this resource can provide metrological advantages, but that it is necessary to consider protocols other than the quantum switch for this. A key ingredient for these advantages appears to be so-called dynamical quantum control.

Finally, in a further paper in preparation we study the computational advantages of causal indefiniteness in query complexity problems. Using semi-definite programming approaches, we are able to calculate the exact query complexity of different types of computations for small input sizes (4-bit Boolean functions with 2 queries to the oracle): standard quantum circuits, circuits with quantum control of causal order, and more general causally indefinite supermaps. We find that, for certain functions, causally indefinite supermaps can provide an advantage in query complexity, uncovering a new computational advantage of causal indefiniteness that, in contrast to previously known advantages, is formulated in a more standard complexity-theoretic setting. However, we prove that the class of quantum circuits with quantum control of causal order is unable to improve upon standard quantum circuits in this query complexity setting.

Multipartite entanglement and different forms of quantum resource

Entanglement is one of the primary quantum resources behind many quantum advantages, but many applications focus on bipartite entanglement shared between only two parties, in part due to the simplicity of this setting. In [12] we studied multipartite entanglement in the context of non-collaborative game theory, to understand how it can be used as a resource in tasks where there are conflicts of interest. We showed how quantum entanglement can lead to higher "social welfare" – a measure of the quality of a Nash equilibrium – than could be obtained with classical resources. Moreover, this setting allowed us to uncover surprising and nuanced differences between having direct access to quantum resources, and indirect access via some idealised black boxes.

Multi-party computation within a Wigner's friend scenarios

It is natural to expect a complete physical theory to have the ability to consistently model agents as physical systems of the theory. In [58], Frauchiger and Renner (FR) claim to show that when agents in quantum theory reason about each other's knowledge in a certain Wigner's friend scenario, they arrive at a logical contradiction. It was suggested that, among other things, that this posed a problem for computation as different agents would conclude different outcomes of a computation. In light of this, Renner often poses the challenge: provide a set of reasoning rules that can be used to program quantum computers that may act as agents, which are (a) logically consistent (b) generalise to arbitrary Wigner's friend scenarios (c) efficiently programmable and (d) consistent with the temporal order of the protocol. In [29] we develop a general framework where we show that every logical Wigner's friend scenario (LWFS) can be mapped to a single temporally ordered quantum circuit, which allows agents in any LWFS to reason in a way that meets all four criteria of the challenge. Importantly, our framework achieves this general resolution without modifying classical logic or unitary quantum evolution or the Born rule, while allowing agents' perspectives to be fundamentally subjective. We analyse the FR protocol in detail, showing how the apparent paradox is resolved there. We show that apparent logical contradictions in any LWFS only arise when ignoring the choice of Heisenberg cut in scenarios where this choice does matter, and taking this dependence into account will always resolve the apparent paradox. Our results establish that universal applicability of quantum theory does not pose any threat to multi-agent logical reasoning and we discuss the implications of these results for FR's claimed no-go theorem.

Thermodynamic constraints on arbitrary quantum systems We developed in [17] (accepted in Physical Review X Quantum) a new framework which expresses constraints on the energy transfers between two or more arbitrary quantum systems. The constraints take the same form as the laws of thermodynamics, but are extended to any quantum system (whatever their size or initial state). On one hand, our framework identifies an effective temperature associated with the von Neumann entropy of a quantum state, and deduces from it the energy flows that are uncontrolled (i.e the heat). On the other hand, we identified the general type of resources in the quantum states that must be consumed to control energy flows (e.g. to reverse the direction of a heat flow as in a refrigerator, or to power an engine). The versatility of our framework allows us to explore limitations on the performances of quantum devices based on the systems used to implement them, as well as new directions to store and recover useful energy at the nanoscale.

In [17] we investigated direct proof-of-principle applications of the formalism to the smallest possible quantum machines based on two interacting qubits. A collaboration with the group of Benjamin Huard (ENS Lyon), an experimentalist specialized in superconducting circuits setups, is ongoing so as to test these results experimentally. In a collaboration with the group of Karyn le Hur (Ecole Polytechnique) [14], we have investigated another manifestation of our findings, which is the ability of the environment of a quantum system to store work rather than heat, providing new potential mechanism for efficient energy transfers.

6 Partnerships and cooperations

6.1 European initiatives

6.1.1 Horizon Europe

FPA QSNP

Participants: Alastair Abbott, Omar Fawzi.

Title: QSNP: Quantum Secure Networks Partnership

Program: Framework Partnership Agreements in Quantum Communications (HORIZON-CL4-2021-DIGITAL-EMERGING-02-19)

Contact Inria: A. Abbott

Partners: The Institute of Photonic Sciences (coordinator), CNRS, Institut Polytechnique de Paris, Danmarks Tekniske Universitet, Universidad Politecnica de Madrid, Friedrich-Alexander-Universitaet Erlangen-Nuernberg, Technische Universiteit Delft, Universita Degli Studi di Padova, Austrian Institute of Technology, Technische Universiteit Eindhoven, Univerzita Palackeho V Olomouci, Instituto Superior Technico, Universidad de Vigo, Katholieke Universiteit Leuven, Universitat Wien, Université Libre de Bruxelles, Uniwersytet Warszawski, Universita ta Malta, CEA, Universitaet Paderborn, Inria, Fraunhofer Gesellschaft zur Forderung der Angewandten Forschung EV, Institute of Communication and Computer Systems, Interuniversitair Micro-electronica Centrum, CryptoNext, Fragmentix Storage Solutions, VPIPhotonics, Nextworks, ThinkQuantum, Quside Technologies, Micro Photon Devices, KEEQuant, LuxQuanta Technologies, Alcatel-Lucent International, Adva Optical Networking, Deutsche Telekom, Telefónica, Telecom Italia, Orange France

Duration: March 2023 - February 2027

EQuALITY

Title: EQuALITY: Efficient QUantum ALgorithms for IndusTrY

Program: HORIZON.2.4 - Digital, Industry and Space, HORIZON.2.4.2 - Key Digital Technologies

Contact Inria: D. Stilck Franca

Partners: Airbus, Capgemini (Coordinator), Da Vinci Labs, Fraunhofer ENAS, German Aerospace Center, INRIA, Leiden University, and PASQAL.

Duration: November 2022 - October 2025

6.1.2 H2020 projects

ERC AlgoQIP

Title: AlgoQIP: Algorithms for Optimal Quantum Information Processing

Program: ERC Starting Grant

PI: O. Fawzi

Duration: January 2021 - December 2025

QuantERA VERIQTAS

Title: VERIQTAS: Verification of Quantum Technologies, Applications and Systems

Program: QUANTERA ERA-NET Cofund in Quantum Technologies – Quantum Phenomena and Resources (QPR)

Contact Inria: O. Fawzi

Partners: Center for Theoretical Physics Polish Academy of Sciences (coordinator), The Institute of Photonic Sciences, Inria, University of Copenhagen, Institute of Quantum Optics and Quantum Information of the Austrian Academy of Sciences, Université libre de Bruxelles

Duration: April 2022 - March 2025

6.2 National initiatives

PEPR DIQKD

Title: Device-independent quantum key distribution

Program: PEPR on Quantum Technologies

Contact Inria: O. Fawzi

Partners: CEA (coordinator), CNRS, Université Côte D'Azur, Sorbonne Université

Duration: July 1, 2022 - June 30 2026

PEPR NISQ2LSQ

Participants: Omar Fawzi, Mischa Woods.

Title: From NISQ to LSQ: Bosonic and LDPC codes

Program: PEPR on Quantum Technologies

Contact Inria: A. Leverrier (team COSMIQ)

Contact QInfo: O. Fawzi

Partners: Inria (coordinator), CNRS, CEA

Duration: January 1, 2022 - December 2026

PEPR EPIQ

Participants: Alastair Abbott, Guillaume Aubrun, Omar Fawzi, Daniel Stilck Franca.

Title: Study of the quantum stack: Algorithm, models, and simulation for quantum computing

Program: PEPR on Quantum Technologies

Contact Inria: S. Perdrix (team MOCQUA)

Contact QInfo: O. Fawzi

Partners: Inria (coordinator), CNRS, CEA

Duration: January 1, 2022 - December 2026

PEPR HQI

Title: Hybrid HPC Quantum Initiative

Program: PEPR on Quantum Technologies

Contact QInfo: D. Stilck Franca

Partners: Inria, CPU, GENCI, CNRS, CEA (coordinator)

Duration: April 1, 2023 - March 2028

ANR TaQC

Title: Taming Quantum Causality

Program: AAP Générique 2022

Contact QInfo: A. Abbott

Partners: CNRS (Institut Néel; coordinator), Inria QINFO, Inria QUACS, CEA (IRFU/LARSIM)

Duration: January 1, 2023 - December 2026

ANR QSTEAM

Title: Quantum Stochastic Thermodynamics of Entanglement and Measurement

Program: T-ERC2020

PI: C. Elouard

Duration: March 1, 2021 - February 2023

6.3 Regional initiatives**IDEX UGA CIQup**

Title: Causally Indefinite Quantum Protocols: From Complexity to Applications

Program: IRGA Projet Nouvel Arrivant 2021

PI: A. Abbott

Partners: Inria QINFO, LIG (CNRS), Institut Néel (CNRS)

Duration: July 1, 2021 - December 2022

7 Dissemination

7.1 Promoting scientific activities

7.1.1 Scientific events: organisation

General chair, scientific chair

- Workshop on Quantum Information and the Frontiers of Quantum Theory in Lyon, 27 June 2022 to 30 June 2022 (G. Aubrun, O.Fawzi)
- Workshop on Fundamental limitations to quantum computation at Banff International Research Station, Canada, 3 March 2024 to 8 March 2024 (D. Stilck Franca)

7.1.2 Scientific events: selection

Chair of conference program committees

- TQC 2023, July 24 to 28, 2023, Aveiro (O. Fawzi)

Member of the conference program committees

- QIP 2023, February 6 to 10, 2023, Ghent (G. Aubrun)
- STACS 2023, March 7 to 10, 2023, Hamburg (O. Fawzi)
- QCTP 2022, April 11 to 13, 2022, Bristol (D. Stilck Franca)
- BIID 2022, September 26 to 30, Schenzhen (D. Stilck Franca)
- TQC 2023, July 24 to 28, 2023, Aveiro (D. Stilck Franca)

7.1.3 Journal

Member of the editorial boards

- *Quantum*, editor (O. Fawzi)

7.1.4 Invited talks

- A. Abbott, *Causal indefiniteness from quantum control of processes*, "Ateliers du LKB" seminar series, Paris, France, October 13, 2022
- M. Woods, *Quantum clocks: from mathematical formulation to quantum advantage*, Workshop Quantum Information and the Frontiers of Quantum Theory, Lyon, France, June 27 to 30, 2022
- D. Stilck Franca *Concentration properties of shallow quantum circuits and applications to variational quantum algorithms*, Journées Informatique Quantique 2022, Paris, France, November 14, 2022
- D. Stilck Franca *Mixing properties of tensor network states*, AGATES kickoff workshop at Banach Center, Warsaw, Poland, September 19, 2022
- D. Stilck Franca, *Limitations of noisy quantum annealers*, Adiabatic Quantum Computing Conference 2022, Trieste, Italy, June 20, 2022
- D. Stilck Franca, *Tomography of many-body quantum states from a few copies through optimal transport*, Quantum Information Theory and Mathematical Physics 2022, Budapest University of Technology and Economics, Budapest, Hungary, June 14, 2022.

- D. Stilck Franca, *Limitations of variational quantum algorithms: a quantum optimal transport approach*, Workshop Quantum Information and the Frontiers of Quantum Theory, Lyon, France, June 27 to 30, 2022
- O. Fawzi, *Variational expressions for quantum divergences and applications*, Quantum Information Theory and Mathematical Physics 2022, Budapest University of Technology and Economics, Budapest, Hungary, June 14, 2022
- O. Fawzi, *A chain rule for quantum conditional Rényi entropy*, Mathematics of Quantum Information and Many-Body systems, Cambridge, UK, October 21, 2022

7.1.5 Leadership within the scientific community

- A. Abbott is a member of the governing board of the QuantAlps research federation and, in 2022, was in the steering committee of QuantAlps
- O. Fawzi is a member of the steering committee of the annual conference Quantum Information Processing (QIP)

7.1.6 Scientific expertise

- 2022 Jury d'admissibilité Inria de Paris CRCN/ISFP (O. Fawzi)
- A. Abbott was a member of the jury for the Quantum Hackathon by QuantX, October 1 to 2, 2022

7.2 Teaching - Supervision - Juries

7.2.1 Teaching

- Master: A. Abbott, *Fundamental Computer Science*. M1 MOSIG/M1 INFO UGA, 24 hours.
- Master: M. Woods, *Quantum Sensing and Metrology Theory*. ETH Zurich, 30 hours lectures + tutorials (worth 6 ECTS credits).
- Master: O. Fawzi, *Quantum Information Theory*. Master ICFP, 10 hours.
- Master: D. Stilck Franca, *Quantum Computer Science*. Master CS ENS Lyon, 40 hours lectures (worth 6 ECTS credits).

7.2.2 Supervision

- PhD: Hoang Ta, *Asymptotic properties of hypergraphs and channels*, July 11, 2022 (O. Fawzi)
- PhD: Lucien Grouès, *Decoding of quantum LDPC codes*, July 11, 2022 (O. Fawzi, with A. Leverrier)
- PhD in progress: Pierre Pocreau, *Implications of causal indefiniteness for quantum communication*, since October 2022 (A. Abbott, with M. Mhalla)
- PhD in progress: Raphaël Mothe, *Causal superpositions in quantum information and thermodynamics*, since October 2021 (A. Abbott, with C. Brianciard)
- PhD in progress: Aadil Oufkir, *Testing properties of quantum states and channels* (O. Fawzi, with A. Garivier)
- PhD in progress: Paul Fermé, *Algorithmic aspects of optimal channel coding* (O. Fawzi)
- PhD in progress: Emily Beatty, *Applications of quantum optimal transport to quantum information theory* (G. Aubrun and D. Stilck Franca)
- Master (M2): Pierre Pocreau, *Query complexity for higher order quantum computation* (A. Abbott, with M. Mhalla)

- Master (M1): Elliot Renel, *Computational advantages with causally indefinite quantum circuits* (A. Abbott)
- Master: Arman Pour Tak Dost, *Ultra regular spontaneous emission* (M. Woods)
- Master: Tristan Malleville, *On the weak simulation of Matrix Product States* (D. Stilck Franca with C. Rouze and I. Bardet)

7.2.3 Juries

- HDR: Nicolas Sangouard, *Bell test: a compelling certification tool for quantum communication technologies*, Université Paris-Saclay, September 28, 2022 (O. Fawzi reviewer)
- PhD: Daniel Szilagyi, *Toward efficient algorithms for optimization and sampling*, Université Paris-Cité, 20 October 2022 (O. Fawzi examiner)
- PhD: Adien Suau, *Implémentation, analyse et améliorations bas-niveau d'algorithmes quantiques pour le calcul scientifique*, Université de Montpellier, 27 October, 2022 (O. Fawzi reviewer)
- PhD: Harshit Verma, *Quantum control in probing relativistic effects and thermodynamics*, University of Queensland, Australia (M. Woods on examination board)
- PhD: Jeongrak Son, *catalysis in thermodynamic resource theories*, Nanyang Technological University, Singapore (M. Woods on thesis advisory committee)

7.3 Popularization

7.3.1 Articles and contents

- O. Fawzi, *La mécanique quantique, clé de la sécurité des échanges*, POUR LA SCIENCE N° 543
- D. Stilck Franca, *Conquering the challenge of quantum optimization*, Physics World February 2022
- A. Abbott, Interview for the podcast series *Decode quantum*, animated by O. Ezratty and F. Bouton, October 27, 2022

8 Scientific production

8.1 Publications of the year

International journals

- [1] G. Aubrun and A. Müller-Hermes. ‘Annihilating Entanglement Between Cones’. In: *Communications in Mathematical Physics* (27th Dec. 2022). DOI: [10.1007/s00220-022-04621-5](https://doi.org/10.1007/s00220-022-04621-5). URL: <https://hal.science/hal-03936297>.
- [2] G. Chiribella, K. R. Davidson, V. I. Paulsen and M. Rahaman. ‘Counterexamples to the extendibility of positive unital norm-one maps’. In: *Linear Algebra Appl.* (2023). URL: <https://hal.science/hal-03659614>.
- [3] H. Dourdent, A. A. Abbott, N. Brunner, I. Šupić and C. Branciard. ‘Semi-device-independent Certification of Causal Nonseparability with Trusted Quantum Inputs’. In: *Physical Review Letters* 129.9 (26th Aug. 2022), p. 090402. DOI: [10.1103/PhysRevLett.129.090402](https://doi.org/10.1103/PhysRevLett.129.090402). URL: <https://hal.inria.fr/hal-03330393>.
- [4] M. Ioannou, M. A. Pereira, D. Rusca, F. Grünenfelder, A. Boaron, M. Perrenoud, A. A. Abbott, P. Sekatski, J.-D. Bancal, N. Maring, H. Zbinden and N. Brunner. ‘Receiver-Device-Independent Quantum Key Distribution’. In: *Quantum* 6 (24th May 2022), p. 718. DOI: [10.22331/q-2022-05-24-718](https://doi.org/10.22331/q-2022-05-24-718). URL: <https://hal.inria.fr/hal-03251550>.

- [5] M. Ioannou, P. Sekatski, A. A. Abbott, D. Rosset, J.-D. Bancal and N. Brunner. ‘Receiver-device-independent quantum key distribution protocols’. In: *New Journal of Physics* 24.6 (2022), p. 063006. DOI: [10.1088/1367-2630/ac71bc](https://doi.org/10.1088/1367-2630/ac71bc). URL: <https://hal.archives-ouvertes.fr/hal-03441473>.
- [6] M. P. Woods and M. Horodecki. ‘Autonomous quantum devices: When are they realizable without additional thermodynamic costs?’ In: *Physical Review X* (2023). URL: <https://hal.science/hal-03945842>.

International peer-reviewed conferences

- [7] M. Christandl, O. Fawzi, H. Ta and J. Zuiddam. ‘Larger Corner-Free Sets from Combinatorial Degenerations’. In: 13th Innovations in Theoretical Computer Science Conference (ITCS 2022). Berkeley, United States, 31st Jan. 2022. DOI: [10.4230/LIPIcs.ITCS.2022.48](https://doi.org/10.4230/LIPIcs.ITCS.2022.48). URL: <https://hal.science/hal-03581653>.
- [8] J. Devevey, O. Fawzi, A. Passelègue and D. Stehlé. ‘On Rejection Sampling in Lyubashevsky’s Signature Scheme’. In: ASIACRYPT 2022 - 28th Annual International Conference on the Theory and Application of Cryptology and Information Security. Taipei, Taiwan, 5th Dec. 2022. URL: <https://hal.inria.fr/hal-03911595>.
- [9] O. Fawzi and P. Fermé. ‘Beating the Sum-Rate Capacity of the Binary Adder Channel with Non-Signaling Correlations’. In: ISIT 2022 - IEEE International Symposium on Information Theory. Espoo, Finland, 26th June 2022. URL: <https://hal.archives-ouvertes.fr/hal-03702410>.
- [10] O. Fawzi, A. Müller-Hermes and A. Shayeghi. ‘A lower bound on the space overhead of fault-tolerant quantum computation’. In: 13th Innovations in Theoretical Computer Science Conference (ITCS 2022). Berkeley, United States, 31st Jan. 2022. DOI: [10.4230/LIPIcs.ITCS.2022.68](https://doi.org/10.4230/LIPIcs.ITCS.2022.68). URL: <https://hal.science/hal-03581661>.
- [11] T. Metger, O. Fawzi, D. Sutter and R. Renner. ‘Generalised entropy accumulation’. In: 2022 IEEE 63rd Annual Symposium on Foundations of Computer Science (FOCS). Denver, United States, 31st Oct. 2022. DOI: [10.1109/FOCS54457.2022.00085](https://doi.org/10.1109/FOCS54457.2022.00085). URL: <https://hal.science/hal-03750961>.

Reports & preprints

- [12] A. A. Abbott, M. Mhalla and P. Pocreau. *Improving social welfare in non-cooperative games with different types of quantum resources*. 4th Nov. 2022. URL: <https://hal.inria.fr/hal-03839608>.
- [13] G. Aubrun, A. Müller-Hermes and M. Plávala. *Monogamy of entanglement between cones*. 12th July 2022. URL: <https://hal.science/hal-03720803>.
- [14] E. Bernhardt, C. Elouard and K. L. Hur. *A topologically protected quantum dynamo effect in a driven spin-boson model*. 29th Aug. 2022. URL: <https://hal.science/hal-03762951>.
- [15] P. Brown, H. Fawzi and O. Fawzi. *Device-independent lower bounds on the conditional von Neumann entropy*. 20th Feb. 2022. URL: <https://hal.science/hal-03581631>.
- [16] G. Chiribella, K. R. Davidson, V. I. Paulsen and M. Rahaman. *Positive maps and entanglement in real Hilbert spaces*. 13th Aug. 2022. URL: <https://hal.science/hal-03751162>.
- [17] C. Elouard and C. L. Latune. *Extending the laws of thermodynamics for autonomous, arbitrary quantum systems*. 17th Jan. 2023. URL: <https://hal.science/hal-03903204>.
- [18] P. Faist, M. P. Woods, V. V. Albert, J. M. Renes, J. Eisert and J. Preskill. *Time-energy uncertainty relation for noisy quantum metrology*. 2022. URL: <https://hal.science/hal-03905420>.
- [19] H. Fawzi and O. Fawzi. *Semidefinite programming lower bounds on the squashed entanglement*. 13th Aug. 2022. URL: <https://hal.science/hal-03750963>.
- [20] H. Fawzi, O. Fawzi and S. O. Scalet. *A subpolynomial-time algorithm for the free energy of one-dimensional quantum systems in the thermodynamic limit*. 14th Nov. 2022. URL: <https://hal.archives-ouvertes.fr/hal-03852131>.

- [21] O. Fawzi, L. Gao and M. Rahaman. *Asymptotic Equipartition Theorems in von Neumann algebras*. 9th Jan. 2023. URL: <https://hal.science/hal-03931577>.
- [22] M. Fellous-Asiani, R. Mothe, L. Bresque, H. Dourdent, P. A. Camati, A. A. Abbott, A. Auffèves and C. Branciard. *Comparing the quantum switch and its simulations with energetically-constrained operations*. 17th Aug. 2022. URL: <https://hal.inria.fr/hal-03752878>.
- [23] V. Gitton and M. P. Woods. *On the system loophole of generalized noncontextuality*. 9th Sept. 2022. URL: <https://hal.science/hal-03943341>.
- [24] M. Maffei, C. Elouard, B. O. Goes, B. Huard, A. N. Jordan and A. Auffèves. *Anomalous energy exchanges and Wigner function negativities in a single qubit gate*. 28th Oct. 2022. URL: <https://hal.science/hal-03833031>.
- [25] G. de Palma, M. Marvian, C. Rouzé and D. Stilck Franca. *Limitations of variational quantum algorithms: a quantum optimal transport approach*. 17th Jan. 2023. URL: <https://hal.science/hal-03675790>.
- [26] Y. Quek, D. S. França, S. Khatri, J. J. Meyer and J. Eisert. *Exponentially tighter bounds on limitations of quantum error mitigation*. 16th Dec. 2022. URL: <https://hal.archives-ouvertes.fr/hal-03903322>.
- [27] D. Stilck Franca, L. A. Markovich, V. V. Dobrovitski, A. H. Werner and J. Borregaard. *Efficient and robust estimation of many-qubit Hamiltonians*. 17th Jan. 2023. URL: <https://hal.science/hal-03675783>.
- [28] M. Tokieda, C. Elouard, A. Sarlette and P. Rouchon. *Complete Positivity Violation in Higher-order Quantum Adiabatic Elimination*. 20th Nov. 2022. URL: <https://hal.science/hal-03868312>.
- [29] V. Vilasini and M. P. Woods. *A general framework for consistent logical reasoning in Wigner's friend scenarios: subjective perspectives of agents within a single quantum circuit*. 19th Sept. 2022. URL: <https://hal.science/hal-03943362>.

8.2 Cited publications

- [30] A. A. Abbott, J. Wechs, D. Horsman, M. Mhalla and C. Branciard. 'Communication through coherent control of quantum channels'. In: *Quantum* 4 (2020), p. 333. DOI: [10.22331/q-2020-09-24-333](https://doi.org/10.22331/q-2020-09-24-333). arXiv: [1810.09826](https://arxiv.org/abs/1810.09826) [quant-ph].
- [31] M. Araújo, F. Costa and Č. Brukner. 'Computational Advantage from Quantum-Controlled Ordering of Gates'. In: *Phys. Rev. Lett.* 113.25 (Dec. 2014), p. 250402. DOI: [10.1103/PhysRevLett.113.250402](https://doi.org/10.1103/PhysRevLett.113.250402). arXiv: [1401.8127](https://arxiv.org/abs/1401.8127) [quant-ph].
- [32] G. Aubrun and S. J. Szarek. *Alice and Bob meet Banach*. Vol. 223. American Mathematical Soc., 2017.
- [33] F. Baccari, R. Augusiak, I. Šupić and A. Acín. 'Device-Independent Certification of Genuinely Entangled Subspaces'. In: *Phys. Rev. Lett.* 125 (2020), p. 260507. DOI: [10.1103/PhysRevLett.125.260507](https://doi.org/10.1103/PhysRevLett.125.260507). arXiv: [2003.02285](https://arxiv.org/abs/2003.02285) [quant-ph].
- [34] F. Baccari, R. Augusiak, I. Šupić, J. Tura and A. Acín. 'Scalable Bell inequalities for qubit graph states and robust self-testing'. In: *Phys. Rev. Lett.* 124 (2020), p. 020402. DOI: [10.1103/PhysRevLett.124.020402](https://doi.org/10.1103/PhysRevLett.124.020402). arXiv: [1812.10428](https://arxiv.org/abs/1812.10428) [quant-ph].
- [35] S. Barman and O. Fawzi. 'Algorithmic Aspects of Optimal Channel Coding'. In: 64.2 (2017). arXiv:[1508.04095](https://arxiv.org/abs/1508.04095), pp. 1038–1045.
- [36] S. Boulebnane, M. P. Woods and J. M. Renes. *Approximate quantum non-demolition measurements*. To appear in *Phys. Rev. Lett.* 2019. eprint: [arXiv:1909.05265](https://arxiv.org/abs/1909.05265).
- [37] F. G. Brandao and K. M. Svore. 'Quantum speed-ups for solving semidefinite programs'. In: *2017 IEEE 58th Annual Symposium on Foundations of Computer Science (FOCS)*. IEEE, 2017, pp. 415–426.
- [38] F. G. S. L. Brandão, R. Kueng and D. S. França. 'Faster quantum and classical SDP approximations for quadratic binary optimization'. In: *arXiv:1909.04613 [quant-ph]* (Aug. 2020). arXiv: [1909.04613](https://arxiv.org/abs/1909.04613). URL: <http://arxiv.org/abs/1909.04613> (visited on 29/06/2021).

- [39] S. Bravyi and A. Kitaev. ‘Universal quantum computation with ideal Clifford gates and noisy ancillas’. In: *Phys. Rev. A* 71 (2 Feb. 2005), p. 022316. DOI: [10.1103/PhysRevA.71.022316](https://doi.org/10.1103/PhysRevA.71.022316). URL: <https://link.aps.org/doi/10.1103/PhysRevA.71.022316>.
- [40] P. Brown, H. Fawzi and O. Fawzi. ‘Device-independent lower bounds on the conditional von Neumann entropy’. In: *arXiv preprint arXiv:2106.13692* (2021).
- [41] S. Bubeck. ‘Convex Optimization: Algorithms and Complexity’. en. In: *Foundations and Trends® in Machine Learning* 8.3-4 (2015), pp. 231–357. DOI: [10.1561/22000000050](https://doi.org/10.1561/22000000050). URL: <http://www.nowpublishers.com/article/Details/MAL-050> (visited on 24/12/2020).
- [42] A. R. Calderbank and P. W. Shor. ‘Good quantum error-correcting codes exist’. In: 54.2 (1996), p. 1098.
- [43] G. Chiribella, G. M. D’Ariano and P. Perinotti. ‘Quantum Circuit Architecture’. In: *Phys. Rev. Lett.* 101 (6 Aug. 2008), p. 060401. DOI: [10.1103/PhysRevLett.101.060401](https://doi.org/10.1103/PhysRevLett.101.060401). arXiv: [0712.1325](https://arxiv.org/abs/0712.1325) [quant-ph]. URL: <https://link.aps.org/doi/10.1103/PhysRevLett.101.060401>.
- [44] G. Chiribella, G. M. D’Ariano, P. Perinotti and B. Valiron. ‘Quantum computations without definite causal structure’. In: *Phys. Rev. A* 88 (2013), p. 022318. DOI: [10.1103/PhysRevA.88.022318](https://doi.org/10.1103/PhysRevA.88.022318). arXiv: [0912.0195](https://arxiv.org/abs/0912.0195) [quant-ph].
- [45] G. Chiribella and H. Kristjánsson. ‘Quantum Shannon theory with superpositions of trajectories’. In: *Proc. R. Soc. A* 475 (2019), DOI: [10.1098/rspa.2018.0903](https://doi.org/10.1098/rspa.2018.0903).
- [46] G. Chiribella. ‘Perfect discrimination of no-signalling channels via quantum superposition of causal structures’. In: *Phys. Rev. A* 86 (4 Oct. 2012), p. 040301. DOI: [10.1103/PhysRevA.86.040301](https://doi.org/10.1103/PhysRevA.86.040301). arXiv: [1109.5154](https://arxiv.org/abs/1109.5154) [quant-ph]. URL: <https://link.aps.org/doi/10.1103/PhysRevA.86.040301>.
- [47] A. D’Aspremont, O. Banerjee and L. El Ghaoui. ‘First-Order Methods for Sparse Covariance Selection’. In: *SIAM Journal on Matrix Analysis and Applications* 30.1 (Jan. 2008), pp. 56–66. DOI: [10.1137/060670985](https://doi.org/10.1137/060670985). URL: <http://epubs.siam.org/doi/10.1137/060670985>.
- [48] G. De Palma, M. Marvian, D. Trevisan and S. Lloyd. ‘The quantum Wasserstein distance of order 1’. In: *arXiv:2009.04469 [math-ph, physics:quant-ph]* (Sept. 2020). arXiv: 2009.04469. URL: <http://arxiv.org/abs/2009.04469> (visited on 29/06/2021).
- [49] D. P. DiVincenzo, P. W. Shor and J. A. Smolin. ‘Quantum-channel capacity of very noisy channels’. In: 57.2 (1998). arXiv: [quant-ph/9706061](https://arxiv.org/abs/quant-ph/9706061), p. 830.
- [50] F. Dupuis, O. Fawzi and R. Renner. ‘Entropy accumulation’. In: 379.3 (2020). arXiv: [1607.01796](https://arxiv.org/abs/1607.01796).
- [51] F. Dupuis, A. Goswami, M. Mhalla and V. Savin. ‘Polarization of Quantum Channels using Clifford-based Channel Combining’. In: *IEEE Transactions on Information Theory* 67.5 (2021), pp. 2857–2877.
- [52] B. Eastin and E. Knill. ‘Restrictions on Transversal Encoded Quantum Gate Sets’. In: *Phys. Rev. Lett.* 102 (11 Mar. 2009), p. 110502. DOI: [10.1103/PhysRevLett.102.110502](https://doi.org/10.1103/PhysRevLett.102.110502). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.102.110502>.
- [53] D. Ebler, S. Salek and G. Chiribella. ‘Enhanced Communication with the Assistance of Indefinite Causal Order’. In: *Phys. Rev. Lett.* 120 (12 Mar. 2018), p. 120502. DOI: [10.1103/PhysRevLett.120.120502](https://doi.org/10.1103/PhysRevLett.120.120502). arXiv: [1711.10165](https://arxiv.org/abs/1711.10165) [quant-ph].
- [54] O. Fawzi, A. Grospellier and A. Leverrier. ‘Constant overhead quantum fault-tolerance with quantum expander codes’. In: arXiv: [1808.03821](https://arxiv.org/abs/1808.03821). 2018, pp. 743–754.
- [55] D. S. Franca and R. Garcia-Patron. ‘Limitations of optimization algorithms on noisy quantum devices’. In: *arXiv:2009.05532 [quant-ph]* (Sept. 2020). arXiv: 2009.05532. URL: <http://arxiv.org/abs/2009.05532> (visited on 29/06/2021).
- [56] D. S. França and A. K. Hashagen. ‘Approximate randomized benchmarking for finite groups’. In: *Journal of Physics A: Mathematical and Theoretical* 51.39 (Sept. 2018), p. 395302. DOI: [10.1088/1751-8121/aad6fa](https://doi.org/10.1088/1751-8121/aad6fa). URL: <https://iopscience.iop.org/article/10.1088/1751-8121/aad6fa>.

- [57] D. S. França, S. Strelchuk and M. Studziński. ‘Efficient Classical Simulation and Benchmarking of Quantum Processes in the Weyl Basis’. In: *Physical Review Letters* 126.21 (May 2021), p. 210502. DOI: [10.1103/PhysRevLett.126.210502](https://doi.org/10.1103/PhysRevLett.126.210502). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.126.210502>.
- [58] D. Frauchiger and R. Renner. In: *Nat Commun* 9.3711 (2018). DOI: [10.1038/s41467-018-05739-8](https://doi.org/10.1038/s41467-018-05739-8).
- [59] B. Groisman, M. Mc Gettrick, M. Mhalla and M. Pawłowski. ‘How quantum information can improve social welfare’. In: *IEEE Journal on Selected Areas in Information Theory* 1.2 (2020), pp. 445–453.
- [60] P. A. Guérin, A. Feix, M. Araújo and Č. Brukner. ‘Exponential Communication Complexity Advantage from Quantum Superposition of the Direction of Communication’. In: *Phys. Rev. Lett.* 117 (Sept. 2016), p. 100502. DOI: [10.1103/PhysRevLett.117.100502](https://doi.org/10.1103/PhysRevLett.117.100502). arXiv: [1605.07372](https://arxiv.org/abs/1605.07372) [quant-ph].
- [61] R. Harper, S. T. Flammia and J. J. Wallman. ‘Efficient learning of quantum noise’. In: *Nature Physics* 16.12 (Aug. 2020), pp. 1184–1188. DOI: [10.1038/s41567-020-0992-8](https://doi.org/10.1038/s41567-020-0992-8). URL: <https://doi.org/10.1038/s41567-020-0992-8>.
- [62] M. B. Hastings. ‘Superadditivity of communication capacity using entangled inputs’. In: 5.4 (2009). arXiv:0809.3972, pp. 255–257.
- [63] A. Holevo. ‘Bounds for the quantity of information transmitted by a quantum communication channel’. In: *Problemy Peredachi Informatsii* 9.3 (1973), pp. 3–11.
- [64] A. Holevo. ‘The additivity problem in quantum information theory’. In: *Proc. ICM*. Vol. 3. 2006, pp. 999–1018.
- [65] M. Kliesch, R. Kueng, J. Eisert and D. Gross. ‘Guaranteed recovery of quantum processes from few measurements’. In: *Quantum* 3 (Aug. 2019), p. 171. DOI: [10.22331/q-2019-08-12-171](https://doi.org/10.22331/q-2019-08-12-171). URL: <https://quantum-journal.org/papers/q-2019-08-12-171/>.
- [66] L. Kong and Z.-W. Liu. *Charge-conserving unitaries typically generate optimal covariant quantum error-correcting codes*. 2021. eprint: [arXiv:2102.11835](https://arxiv.org/abs/2102.11835).
- [67] A. Kubica and R. Demkowicz-Dobrzański. ‘Using Quantum Metrological Bounds in Quantum Error Correction: A Simple Proof of the Approximate Eastin-Knill Theorem’. In: *Phys. Rev. Lett.* 126 (15 Apr. 2021), p. 150503. DOI: [10.1103/PhysRevLett.126.150503](https://doi.org/10.1103/PhysRevLett.126.150503). URL: <https://link.aps.org/doi/10.1103/PhysRevLett.126.150503>.
- [68] F. Leditzky, M. A. Alhejji, J. Levin and G. Smith. ‘Playing games with multiple access channels’. In: *Nature communications* 11.1 (2020), pp. 1–5.
- [69] O. Oreshkov, F. Costa and Č. Brukner. ‘Quantum correlations with no causal order’. In: *Nat. Commun.* 3 (2012), p. 1092. DOI: [10.1038/ncomms2076](https://doi.org/10.1038/ncomms2076). arXiv: [1105.4464](https://arxiv.org/abs/1105.4464) [quant-ph].
- [70] C. Rouzé and N. Datta. ‘Concentration of quantum states from quantum functional and transportation cost inequalities’. In: *Journal of Mathematical Physics* 60.1 (Jan. 2019), p. 012202. DOI: [10.1063/1.5023210](https://doi.org/10.1063/1.5023210). URL: <http://aip.scitation.org/doi/10.1063/1.5023210> (visited on 29/06/2021).
- [71] G. Rubino, L. A. Rozema, D. Ebler, H. Kristjánsson, S. Salek, P. A. Guérin, A. A. Abbott, C. Branciard, Č. Brukner, G. Chiribella and P. Walther. ‘Experimental Quantum Communication Enhancement by Superposing Trajectories’. In: *Phys. Rev. Research* 3 (2021), p. 013093. DOI: [10.1103/PhysRevResearch.3.013093](https://doi.org/10.1103/PhysRevResearch.3.013093).
- [72] C. Shannon. ‘A mathematical theory of communications’. In: *Bell System Technical Journal* 27 (4 1948), pp. 379–423.
- [73] G. Smith and J. Yard. ‘Quantum communication with zero-capacity channels’. In: *Science* 321.5897 (2008). arXiv:0807.4935, pp. 1812–1815.
- [74] A. Steane. ‘Multiple-particle interference and quantum error correction’. In: *Proc. R. Soc. Lond. A* 452.1954 (1996), pp. 2551–2577.

- [75] C. Villani. *Optimal Transport*. Ed. by M. Berger, B. Eckmann, P. de la Harpe, F. Hirzebruch, N. Hitchin, L. Hörmander, A. Kupiainen, G. Lebeau, M. Ratner, D. Serre, Y. G. Sinai, N. J. A. Sloane, A. M. Vershik and M. Waldschmidt. Vol. 338. Grundlehren der mathematischen Wissenschaften. Berlin, Heidelberg: Springer Berlin Heidelberg, 2009. DOI: [10.1007/978-3-540-71050-9](https://doi.org/10.1007/978-3-540-71050-9). URL: <http://link.springer.com/10.1007/978-3-540-71050-9> (visited on 01/03/2021).
- [76] D.-S. Wang, G. Zhu, C. Okay and R. Laflamme. ‘Quasi-exact quantum computation’. In: *Phys. Rev. Research* 2 (3 July 2020), p. 033116. DOI: [10.1103/PhysRevResearch.2.033116](https://doi.org/10.1103/PhysRevResearch.2.033116). URL: <https://link.aps.org/doi/10.1103/PhysRevResearch.2.033116>.
- [77] J. Wechs, A. A. Abbott and C. Branciard. ‘On the definition and characterisation of multipartite causal (non)separability’. In: *New J. Phys.* 21 (2019), p. 013027. DOI: [10.1088/1367-2630/aaf352](https://doi.org/10.1088/1367-2630/aaf352). arXiv: [1807.10557](https://arxiv.org/abs/1807.10557) [quant-ph].
- [78] J. Wechs, H. Dourdent, A. A. Abbott and C. Branciard. ‘Quantum Circuits with Classical Versus Quantum Control of Causal Order’. In: *PRX Quantum* 2 (2021), p. 030335. DOI: [10.1103/PRXQuantum.2.030335](https://doi.org/10.1103/PRXQuantum.2.030335).
- [79] M. Wilde. *Quantum Information Theory*. arXiv:1106.1445. Cambridge University Press, 2014.
- [80] D. P. Woodruff. ‘Sketching as a Tool for Numerical Linear Algebra’. en. In: *Foundations and Trends® in Theoretical Computer Science* 10.1-2 (2014), pp. 1–157. DOI: [10.1561/0400000060](https://doi.org/10.1561/0400000060). URL: <http://www.nowpublishers.com/articles/foundations-and-trends-in-theoretical-computer-science/TCS-060> (visited on 29/06/2021).
- [81] M. P. Woods and Á. M. Alhambra. ‘Continuous groups of transversal gates for quantum error correcting codes from finite clock reference frames’. In: *Quantum* 4 (Mar. 2020), p. 245. DOI: [10.22331/q-2020-03-23-245](https://doi.org/10.22331/q-2020-03-23-245). URL: <https://doi.org/10.22331/q-2020-03-23-245>.
- [82] M. P. Woods, R. Silva and J. Oppenheim. ‘Autonomous Quantum Machines and Finite-Sized Clocks’. In: *Annales Henri Poincaré* 20.1 (Oct. 2018), pp. 125–218. DOI: [10.1007/s00023-018-0736-9](https://doi.org/10.1007/s00023-018-0736-9). URL: <https://doi.org/10.1007/s00023-018-0736-9>.
- [83] Y. Yang, Y. Mo, J. M. Renes, G. Chiribella and M. P. Woods. *Covariant Quantum Error Correcting Codes via Reference Frames*. 2020. eprint: [arXiv:2007.09154](https://arxiv.org/abs/2007.09154).
- [84] S. Zhou, Z.-W. Liu and L. Jiang. *New perspectives on covariant quantum error correction*. 2020. eprint: [arXiv:2005.11918](https://arxiv.org/abs/2005.11918).